

# JBT Product Portfolio

## Counterbalance Forked Automated Guided Vehicles (AGVs)

CB750	CB1500	CB2500	CB4500	Trailer Loading
<ul style="list-style-type: none"> <li>Standard lift weight up to <b>750kg / 1,600lbs</b></li> <li>Standard height up to <b>6m / 236"</b></li> <li>Standard lift speed up to <b>4"/sec</b></li> <li>Standard travel speeds up to <b>1.8mps / 350fpm</b></li> </ul>	<ul style="list-style-type: none"> <li>Standard lift weight up to <b>1,500kg / 3,300lbs</b></li> <li>Standard height up to <b>6m / 236"</b></li> <li>Standard lift speed up to <b>4"/sec</b></li> <li>Standard travel speeds up to <b>1.8mps / 350fpm</b></li> </ul>	<ul style="list-style-type: none"> <li>Standard lift weight up to <b>2,500kg / 5,500lbs</b></li> <li>Standard height up to <b>6m / 236"</b></li> <li>Standard lift speed up to <b>4"/sec</b></li> <li>Standard travel speeds up to <b>1.6mps / 315fpm</b></li> </ul>	<ul style="list-style-type: none"> <li>Standard lift weight up to <b>4,500kg / 10,000lbs</b></li> <li>Standard height up to <b>4m / 14ft</b></li> <li>Standard lift speed up to <b>4"/sec</b></li> <li>Standard travel speed up to <b>2.0mps / 394fpm</b></li> </ul>	<ul style="list-style-type: none"> <li>Standard lift weight up to <b>2,720kg / 6,000lbs</b></li> <li>Standard height up to <b>2.5m / 8ft</b></li> <li>Standard lift speed up to <b>4"/sec</b></li> <li>Standard travel speed up to <b>1.8mps / 350fpm</b></li> </ul>



# JBT Product Portfolio

## Other Automated Guided Vehicles (AGVs)

1-Drive Tugger	3-Drive Tugger	Crabbing Unit Loader
<b>Vehicle Weight:</b> 9,300lbs (4,200kg) with battery; 6,000lbs (2,700kg) without	<b>Vehicle Weight:</b> 9,300lbs (4,200kg) with battery; 6,000lbs (2,700kg) without	<b>Vehicle Weight:</b> 11,331 lbs (5,150 kg) with battery 10,924 lbs (4965 kg) without
<b>Travel:</b> Bi-directional; 1.78m/s (350ft/min)	<b>Travel:</b> Bi-directional; 1.78m/s (350ft/min)	<b>Travel:</b> Quad Directional (Crabbing) 1.78m/s (350ft/min)
<b>Carrying Capacity:</b> 20,000lb (9,072kg)	<b>Carrying Capacity:</b> 50,000lbs (22,600kg)	<b>Carrying Capacity:</b> 3,500 lbs (1590 kg)



# JBT Product Portfolio

## AMRs & AGVs

CELESTE	APOLLO	ROCKET	ECLIPSE
<ul style="list-style-type: none"><li>• <b>Vehicle size</b> L: 31.5" ; W: 23.6" ; H: 39.4"</li><li>• <b>Maximum payload</b> 330.7 lbs.</li><li>• <b>Payload max size</b> 440.9 lbs.</li></ul>	<ul style="list-style-type: none"><li>• <b>Vehicle size</b> L: 31.5" ; W: 23.6" ; H: 39.4"</li><li>• <b>Maximum payload</b> 330.7 lbs.</li><li>• <b>Payload max size</b> 440.9 lbs.</li></ul>	<ul style="list-style-type: none"><li>• <b>Vehicle size</b> L= 64.2" ; W=23.7" ; H=13.4"</li><li>• <b>Maximum payload</b> 1100 lbs.</li><li>• <b>Payload max size</b> W= 35.43" ; L=60"</li></ul>	<ul style="list-style-type: none"><li>• <b>Vehicle size</b> L = 64.56" ; W = 23.7" ; H = 46.33"</li><li>• <b>Maximum payload</b> 1100 lbs.</li><li>• <b>Payload max size</b> W= 52" • L= 35.4 • H= 73"</li></ul>

