



Material Safety Data Sheet

Approval Date 7/13/2010
Supersedes Date 10/9/2008
Date Printed 7/13/2010

Section I. Chemical Product and Company Identification

Product Name/ Trade Name	FORMULA 410 XLT	Product ID No.	356176A; 356176B; 356176C
Supplier	JBT FOODTECH 1622 FIRST STREET SANDUSKY, OHIO 44870 USA	Emergency Telephone	In the event of a chemical spill, release, poisoning or exposure, Call 3E Company, Inc.: 800-451-8346 (North America) 001 760-602-8897 International
Synonym(s)	None	Non-Emergency Contact	JBT PHONE: 800-433-6320 JBT FAX: 507-645-9664
Chemical Family	Synthetic hydrocarbon		
Chemical Formula	Mixture		
Material Uses	Incidental-contact food machinery lubricant		

Section II. Composition and Information on Ingredients

Name	PEL/TLV, Source	CAS #	% by Weight
PROPRIETARY FORMULA.	5 mg/m ³ (oil mist), OSHA	Mixture	100
LC₅₀, LD₅₀ of Ingredients Not available			

Section III. Hazards Identification

Emergency Overview	Potential health risks vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.
Potential Health Effects:	
Eye Contact	Not expected to cause prolonged or significant eye irritation.
Skin Contact	Prolonged or repeated contact can defat the skin and lead or irritation and/or dermatitis. This product is not expected to be harmful to internal organs if absorbed through the skin.
Ingestion	No significant health hazards by ingestion have been identified. Aspiration into lungs can cause pneumonitis, which can be fatal.
Inhalation	Vapor inhalation under ambient conditions is not normally a problem. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended oil mist exposure limit.

Continued on Next Page

Section III. Hazards Identification (cont'd)

HMIS Code	Health: 1	Fire: 1	Physical Hazard: 0	HAZARD RATINGS	
				0 Minimal Hazard 1 Slight Hazard 2 Moderate Hazard	3 Serious Hazard 4 Severe Hazard

Section IV. First Aid Measures

Eye Contact	Remove contact lenses, if wearing. Flush eyes with large amounts of water, lifting lids to ensure thorough flushing. If irritation or other symptoms persist, call a physician.
Skin Contact	Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.
Ingestion	If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician.
Inhalation	If exposed to excessive levels of material in the air, move the exposed person to fresh air. If breathing is difficult, give oxygen; seek medical attention if respiratory difficulties continue. If not breathing, give artificial respiration and seek medical attention immediately.

Section V. Fire and Explosion Data

Autoignition Temperature	Not available		
Flash Point	374°F (190°C), ASTM D 92		
Flammable Limits (Approx.)	LOWER Flammable Limit: N/A	UPPER Flammable Limit:	N/A
Explosion Hazards	See Lower and Upper Flammable Limits		
Products of Combustion	Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.		
Fire Fighting Media and Instructions	Extinguishing media include dry chemical, alcohol foam, and carbon dioxide-type extinguishing agents. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.		
Special Remarks - Fire and Explosion Hazards	Keep exposed containers cool with water spray to prevent rupture. Evacuate all non-trained personnel. Ventilate area. Contain spill and dike, if possible. For leaks or spills that have not ignited, water spray can be used to disperse the flammable vapor. Vapors are heavier than air and may travel long distances and accumulate in low areas or spread along ground away from handling site. Eliminate all sources of ignition as vapor may ignite.		

Section VI. Accidental Release Measures

Release or Spill	Recover free product. Add sand, earth, or other suitable absorbent material to the spill area. Minimize breathing vapors. Minimize skin contact. Open all windows and doors. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.
Environmental Impact	Report spills as required to the appropriate authorities. U.S Coast Guard Regulations require immediate reporting of spills that could reach any waterway including intermittent dry creeks. Report spill to the Coast Guard toll-free number 800-424-8802.

Section VII. Handling and Storage

Handling	Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. "Empty" containers retain product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition as they may explode and can cause injury or death. Do not smoke when using this product. Empty container should be promptly returned to a drum reconditioner.
Storage	Store in tightly sealed containers. Store in a cool, dry place out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or where temperature may exceed 49°C (120°F). Equipment and containers should be bonded and grounded when transferring or using material. Use non-sparking tools and equipment. Rotate stock.

Continued on Next Page

Section VIII. Exposure Controls and Personal Protection	
Respiratory Protection	Use respiratory protection if needed to keep airborne levels below recommended oil mist exposure limits.
Ventilation	Use in a well ventilated area. See Engineering Controls.
Protective Gloves	Wear protective gloves made of nitrile or other impervious material.
Eye Protection	Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.
Personal Hygiene	Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.
Exposure Limit	5 mg/m ³ (oil mist) OSHA, for total product; see Section II for component exposure limit(s).

Section IX. Physical and Chemical Properties			
Appearance/Odor	Water white lube oil with little or no odor	Vapor Pressure	Nil
		Vapor Density	Not available
Odor Threshold	Not available	Percent Volatile	0
Specific Gravity	0.8160 (typical)	Evaporation Rate	Nil
Density	6.94 lbs/US gal (typical)	Solubility in Water	Nil
Flash Point	Not available	Coefficient of Water/Oil Distribution	Not available
Boiling Point	Not available	Physical State	Liquid
Freezing/Melting Point	Not available		

Section X. Stability and Reactivity Data	
Stability	Stable under normal temperatures and pressures.
Conditions of Reactivity	Not available
Conditions and Materials to Avoid	Avoid heat, open flames, and oxidizing agents.
Hazardous Polymerization	Hazardous polymerization will not occur.
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

Section XI. Toxicological Information			
Routes of Entry	Dermal contact, eye contact, inhalation, ingestion.	Ingestion	Not available
Toxicity to Animals	Not available	Inhalation	Not available
Effects of Acute Exposure	Not available	Toxically Synergistic Products	Not available
Acute Effects of Sensitization	Not available		
Chronic Effects on Humans:			
Carcinogenic Effects	This product does not contain a carcinogen or potential carcinogen as listed by NTP, IARC, or OSHA [29 CFR 1910.1200(D)#4].		
Mutagenic Effects	No data available to indicate any components present at greater than 0.1% may present a mutagenic hazard.		

Continued on Next Page

Section XI. Toxicological Information (cont'd)	
Teratogenic Effects	No data available to indicate any components present at greater than 0.1% may present a teratogenic hazard.
Reproductive Effects	No data available to indicate any components present at greater than 0.1% may present a reproductive hazard.

Section XII. Ecological Information	
Ecotoxicity	There is no data available on the adverse effects of this material on the environment.

Section XIII. Disposal Considerations	
Waste Disposal	Consult federal, state or local authorities for proper disposal and reporting procedures. All disposals must comply with federal, state and local regulations.

Section XIV. Transportation Information			
I.A.T.A. Air Transportation:		U.S. D.O.T. Ground Transportation:	
Shipping Name	Not regulated	Shipping Name	Not regulated
Hazard Class	None		
UN Number	None		
Packing Group	None		
I.A.T.A. Remarks	None	U.S. D.O.T. Remarks	The above U.S. D.O.T. information applies to shipping BY GROUND ONLY.

Section XV. Regulatory Information	
U.S. Federal Regulations:	
CERCLA	Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is regulated by 40 CFR 302.4 : None
SARA (Section 313)	This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations: None
SARA Extremely Hazardous List	This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: None
TSCA Inventory	All components of this material are on the U.S. TSCA Inventory.
California Prop. 65	This product contains the following chemical(s) known to the State of California to cause birth defects or other reproductive harm: None

International Regulations:	
Canada	All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in accordance with the hazard criteria of the CPR and this MSDS contains all the information required by CPR.
Japan MITI	Not available
Australia	Not available
Switzerland	Not available

Section XVI. Other Information	
Approval Date	7/13/2010
Supersedes Date	10/9/2008
Sections Revised Since Last Version	New MSDS format

The information and recommendations contained herein are, to the best of JBT FoodTech's knowledge and belief, accurate and reliable as of the date issued. JBT FoodTech makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JBT FoodTech shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JBT FoodTech's interpretation of the available data.