



# Unifiller

Volumetric Rotary Filler



When accuracy, product quality and safety really matter



# JBT Unifiller

## The perfect fit for your products

Capable of filling almost any kind of semi-rigid or rigid container (glass, cans, bottles), our Unifiller is engineered to provide you with high quality filling, fast and efficient product change-over and speedy Clean-In-Place with no need for disassembly or manual cleaning. Additionally, an optional total automation package is available.

The heavy-duty, highly robust design and unique filling concept results in excellent filling accuracy and trouble-free use, even after many years of operation. The Unifiller delivers high performance and keeps your operational costs down. This filler is a versatile asset too, capable of adapting to a wide variety of products, container designs and container types.




**High-Hygienic Design**  
**CLEAN-IN-PLACE (CIP) WITHOUT**  
**FILL STATION DISASSEMBLY**

The unique, seal-less, self-draining fill station design allows product and cleaning liquids to be drained automatically from fill station and fill bowl, without disassembly and manual intervention. All product contact parts are executed in 316 stainless steel or food approved premium polymers.

### BENEFITS

- ✓ Fast product change-over
- ✓ Minimum downtime for cleaning
- ✓ Reduced risk of fill station damage during disassembly
- ✓ Reduced operator time
- ✓ Consistent, reliable cleaning process




**Fill Accuracy & Gentle**  
**Product Handling**

The unique valve design - with a short product path - allows fast switching of the valve, resulting in high fill accuracy. Unifiller fill nozzles are specially designed for specific applications and can be exchanged easily. The custom-fit nozzles increase accuracy and minimize product drip for even the most complex products.

### BENEFITS

- ✓ Minimum product give-away
- ✓ Reduced spillage / product loss
- ✓ Gentle product handling
- ✓ Consistent headspace for trouble-free in-container sterilization
- ✓ A cleaner machine, cleaner containers and minimum risk of contamination of the rim for more consistent seals






CIP without manual intervention

Fast product & format change-over

Gentle product handling




High hygienic design

Outstanding fill accuracy

Proven product versatility

Low maintenance cost



## Product & Fill Volume Flexibility

The Unifiller concept offers unmatched product versatility: from low viscosity products without particles, to high viscosity products with particles; both cold and hot filled. Large product ports and a short product path allows filling of highly viscous products, with or without particles. A broad range of fill stations, from 100 cc to 1,500 cc, allows for selecting the optimum configuration for each application at line speeds from 100 to 1500 cpm/hr.

- ✓ Liquid dairy products
- ✓ Fruit juices with particles
- ✓ Non-carbonated beverages
- ✓ Nutritional drinks
- ✓ Ready meals and soups
- ✓ Jams, spreads and honey
- ✓ Pet food
- ✓ Sauces, dressings
- ✓ RTD coffee
- ✓ Baby food



## Container Flexibility

✓ Metal



✓ Plastic



✓ Glass



## PROVEN PERFORMANCE

### JBT Unifiller in a stand-alone configuration

The perfect fit for your line

- ✓ Easy synchronization with rinsers and cappers
- ✓ Flexible configuration from 8 to 81 filling stations
- ✓ Line speeds from 100 to 1500 cpm



## AN OUTSTANDING COMBINATION

### A JBT Unifiller synchronized with a JBT seamer

Perfect fit filling-seaming synchroblock, providing state-of-the-art technology to fill and close metal cans at line speeds from 100 to 1000 cpm.



## HIGH CAPACITY CAPABILITY

### A JBT high-capacity filler synchronized with a JBT seamer


Our High-Capacity Unifiller with 81 filling stations, synchronized with JBT seamer. This configuration is engineered to run cans at a line speed of up to 1500 cpm.



## UNIQUE PERFECTION

### TwinTec™: A JBT Unifiller - seamer monoblock

Our TwinTec™ is the integration of the JBT filling and seaming technologies in a single machine: one robust, sanitary base, one control system, one drive, one lubrication system and under one guarding. The TwinTec filler/seamer provides short, gentle and highly reliable can transfer from filling to seaming station running at a line speed from 100 to 600 cpm.



## COUNT ON JBT TO HELP PROTECT YOUR INVESTMENT

JBT's greatest value in PRoCARE® services comes from preventing unexpected costs through smart, purposeful, and timely maintenance based on unmatched knowledge and expertise. PRoCARE service packages are offered as a maintenance agreement in various service levels, depending on your production and cost management requirements.



## JBT DIVERSIFIED FOOD & HEALTH

FRESH PRODUCE TECHNOLOGIES | FRESH-CUT, ROBOTICS, STEAMING | FRUIT AND VEGETABLE PROCESSING | SECONDARY PROCESSING | ASEPTIC SYSTEMS | FILLING AND CLOSING | IN-CONTAINER STERILIZING | TRAY SEALING | SECONDARY PACKAGING | HIGH-PRESSURE PROCESSING | POWDER PROCESSING | TUNA PROCESSING

## OUR BRANDS



### North America

John Bean Technologies Corporation  
2300 Industrial Avenue  
Madera CA 93639  
USA  
Phone: +1 559 661 3200  
Fax: +1 559 661 3156

### Europe

John Bean Technologies NV  
Breedstraat 3  
9100 Sint-Niklaas  
Belgium  
Phone: +32 3 780 1211  
Fax: +32 3 777 7955

### South Africa

John Bean Technologies (Pty) Ltd.  
Koper Street  
Brackenfell  
Cape Town, South Africa 7560  
Phone: +27 21 982 1130  
Fax: +27 21 982 1136

### Latin America

JBT de México S de RL de CV  
Camino Real a San Andrés Cholula No. 2612  
Col. San Bernardino Tlaxcalancingo  
72820 San Andrés Cholula, Puebla  
México  
Phone: +52 222 329 4902  
Fax: +52 222 329 4903

### Asia Pacific

John Bean Technologies (Thailand) Ltd.  
No. 159/26 Serm-Mit Tower 16th Floor  
Room no. 1602-3 Sukhumvit 21 Road  
Klongtoey Nua Sub-district, Wattana District  
Bangkok 10110 Thailand  
Phone: +66 2 257 4000  
Fax: +66 2 261 4099

### South America

John Bean Technologies Máq.  
e Equip. Ind. Ltda.  
Av. Eng Camilo Dinucci 4605  
14808-900 Araraquara, São Paulo  
Brazil  
Phone: +55 16 3301 2000  
Fax: +55 16 3301 2144



We're with you, right down the line.™

hello@jbt.com | [jbt.com](http://jbt.com)

