



TIPPER TIE™

## 600/700 Series Clippers



High strength and versatility for heavy weight packages.

# TIPPER TIE 600/700 Series Clippers

## Product Advantage

TIPPER TIE's powerful, 600 and 700 series clippers grip and hold difficult packaging materials such as burlap, plastic, multi-wall laminates and heavy weighted packages.

These air powered, manual gate clippers provide one step closing and clipping of heavy duty woven propylene and polyethylene shot-bags, plastic, multi-wall laminates and heavy-weight packages. They assist operators in gathering the bag neck prior to clipping to securely seal product bags, increasing throughput and efficiency.

Depending on the material, the cross-over clip design provides a seal that will remain air and water-tight indefinitely in most handling conditions. The rugged 600/700 series clips will not slip open or break under extreme handling.

## Applications

Built for use in any industry that needs a secure clip closure, these clippers apply special 600 and 700 series clips that are well suited for difficult packaging applications such as burlap, plastic, multi-wall laminates and heavy packaging. Common applications include:

- Commercial explosives or soil in heavy gauge poly or burlap
- Fertilizers in mesh poly or multi-wall bags
- Liquid chemicals in drum liners or plastic bags
- Powdered chemicals in drum liners or plastic bags
- Produce wrapped in netting





### Designed for Flexibility and Performance

The 600/700 series clippers are easily mounted on a stand or pole and can be integrated into most packaging processes. An optional adjustable extension is available to be mounted on any 1-inch (25 mm) diameter pipe. Both models are efficient, economical, and easy to operate.

Simple, elegant construction makes the 600/700 series clippers accessible for cleaning and maintenance. Additionally, horizontal operation allows for a more ergonomic work station, so that operators can lift and manage heavy bags with less effort in the clipping process.

One quick, continuous motion gathers the bag into a neck and applies a positive, strong closure.

### Premium Quality Clips

High-quality clips are essential to a successful clip closure.

TIPPER TIE clips are manufactured from a special aluminum alloy and are held to exacting specifications that exceed those from the general wire industry. The dimensions of all TIPPER TIE clips are kept within very tight tolerances, ensuring a perfect closure every time. Furthermore, clip leg ends are radiused and lubricated to ensure that both clip legs form simultaneously and uniformly as the clip gathers the packaging materials. The result is a clip that closes smoothly and securely every time.



# TIPPER TIE 600/700 Series Clippers

## Model Selector

	Gate	Cross over	Gate left horizontal	No knife	Stick	FRL (Filter Lubricator)	Machine Name
600 series	✓	✓	✓	✓	✓	✓	F625LM
700 series	✓	✓	✓	✓	✓	✓	F725L

## Dimensions, 600/700 Series

Dimensions	28" H x 27" L (711.2 mm x 685.8 mm)
Machine Weight	46 pounds (20.86 Kg)
Shipping Weight	52 pounds (23.59 Kg)

## Specifications, F625LM

Clip Type	621 and 651
Clip leg length:	621 = 30 mm. 631 = 36.6 mm. 651 = 43 mm.
Applications:	Commercial explosives, fertilizers and soil, liquid chemicals, powdered chemicals, produce

## Specifications, F725L

Clip Type	731
Clip leg length:	731 = 37 mm. 751 = 42.9 mm.
Applications:	Commercial explosives, fertilizers and soil, liquid chemicals, powdered chemicals, produce



**North America**  
 TIPPER TIE, Inc.  
 2000 Lufkin Road  
 Apex, NC 27539 USA  
 Tel. +1 919 362 8811  
 Fax +1 919 362 4839  
 TipperTie@jbt.com

**Europe**  
 TIPPER TIE TECHNOPACK GmbH  
 Wilhelm-Bergner-Strasse 9a  
 21509 Glinde/Germany  
 Tel. +49 40 72 77 04 0  
 Fax +49 40 72 77 04 100  
 infoDE@jbt.com

**Latin America**  
 JBT  
 Máq. Equip. Ind. Ltda.  
 Av. Eng. Camilo Dinucci 4605  
 14808-900 Araraquara  
 São Paulo  
 Brazil  
 Phone +55 16 3301 2000  
 latinamericainfo@jbt.com



We're with you, right down the line.™

[tippertie.com](http://tippertie.com) | [jbt.com](http://jbt.com)